Tuberculosis surveillance and monitoring in Europe 2016



Estonia

Total population on 1 January 2014 by EUROSTAT: 1315 819

Tuberculosis case notification	ns, 2014		
Total number of cases	2	246	
Notification rate per 100 000	18.7		
New* & relapses	236		
New* & relapses notification rate per 100 000	1	17.9	
Pulmonary	231	(93.9%)	
of which microscopy-positive	121	(52.4%)	
of which laboratory confirmed	186	(80.5%)	
Laboratory-confirmed TB cases	194	(78.9%)	
Mean age of new native TB cases	47.0	47.0 years	
Mean age of new foreign TB cases	54.6	54.6 years	
Foreign origin of all TB cases	43	(17.5%)	
New (not previously treated)	205	(83.3%)	

^{*} Cases with unknown previous treatment included in new cases.


ice & T	B-HIV	
Yes		
Yes		
Yes		
190	(97.9%)	
62-	48-75	
48	(25.8%)	
6	(12.5%)	
49	(25.8%)	
6	(12.2%)	
238	(96.7%)	
24	(10.1%)	
19	(79.2%)	
	190 62- 48 6 49 6 238	

^{*} National coverage 100% or culturing 90%, C+/All TB cases 50%, DST done for C+ 75%, EQA 95%.


Treatment outo	ome mor	nitoring			
Geographical coverage	Na	National			
Outcome cohort	New culture positive pulmonary TB cases notified in 2013*		All MDR TB cases notified in 2012**		
Case-linked data reporting	,	Yes			
Cases notified	170		62		
Success	125	(73.5%)	39	(62.9%)	
Died	14	(8.2%)	13	(21.0%)	
Failed	1	(0.6%)	0	(0.0%)	
Lost to follow-up	6	(3.5%)	5	(8.1%)	
Still on treatment	24	(14.1%)	5	(8.1%)	
Not evaluated	0	(0.0%)	0	(0.0%)	

^{*} Treatment outcome as presented is treatment outcome after 12 months.


Tuberculosis notification rates by treatment history, 2005–2014




New and relapsed TB cases – notification rates by age group, 2005–2014




Tuberculosis cases by geographical origin, 2005-2014




TB-HIV co-infection, 2006-2014



MDR TB cases by previous treatment history, 2005-2014



Treatment outcome, new culture-confirmed pulmonary TB cases, 2004–2013



Source: European Centre for Disease Prevention and Control/WHO Regional Office for Europe. Tuberculosis surveillance and monitoring in Europe 2016. Stockholm: ECDC; 2016

^{**} More than 50% of TB cases tested for HIV.

^{**} Treatment outcome as presented is treatment outcome after 24 months.