Tuberculosis surveillance and monitoring in Europe 2018.





2016 data

Bulgaria

Total population at 22 September 2017 by EUROSTAT: 7153784

Tuberculosis case notifications, 2016

Total number of cases	10	603
Notification rate per 100 000	22.4	
New* & relapses	1525	
New* & relapses notification rate per 100 000	21.3	
Pulmonary	1186	(74.0%)
of which microscopy-positive	618	(52.1%)
of which laboratory confirmed	745	(62.8%)
Laboratory-confirmed TB cases	764	(47.7%)
Mean age of new native TB cases	46.1	years
Mean age of new foreign TB cases	26.0	years
Foreign origin of all TB cases	4	(0.2%)
New (not previously treated)	1416	(88.3%)

^{*} Cases with unknown previous treatment included in new cases.

Drug resistance surveillance & TB-HIV co-infection, 2016

Completeness of DRS data*	N	lo
Completeness of HIV data**	Y	es
Case-linked data reporting	Y	es
Cases with DST results	670	(87.7%)
Estimated RR-TB among notified pulmonary cases N, (best-low-high)	44-27-61	
Pulmonary MDR TB cases notified	19	(2.9%)
of which XDR TB cases	0	(0.0%)
Notified MDR	19	(2.8%)
of which XDR TB cases	0	(0.0%)
TB cases tested for HIV	1260	(78.6%)
HIV-positive TB cases	0	(0.0%)
of these on antiretroviral therapy	-	-


^{*} National coverage 100% or culturing 90%, C+/All TB cases 50%, DST done for C+ 75%, EQA 95%.

Treatment outcome monitoring


Geographical coverage	Na	tional		
Outcome cohort	New culture positive pulmonary TB cases notified in 2015* Yes		All MDR TB cases notified in 2014**	
Case-linked data reporting				
Cases notified	663		37	
Success	574	(86.6%)	18	(48.6%)
Died	56	(8.4%)	12	(32.4%)
Failed	10	(1.5%)	0	(0.0%)
Lost to follow-up	18	(2.7%)	5	(13.5%)
Still on treatment	2	(0.3%)	0	(0.0%)
Not evaluated	3	(0.5%)	2	(5.4%)

^{*} Treatment outcome as presented is treatment outcome after 12 months.


Tuberculosis notification rates by treatment history, 2007–2016




New and relapsed TB cases – notification rates by age group, 2007–2016




Tuberculosis cases by geographical origin, 2007-2016




TB-HIV co-infection, 2007-2016



MDR TB cases by previous treatment history, 2007–2016



Treatment outcome, new culture-confirmed pulmonary TB cases, 2006–2015*



Source: European Centre for Disease Prevention and Control/WHO Regional Office for Europe. Tuberculosis surveillance and monitoring in Europe 2018 – 2016 data. Stockholm: ECDC; 2018

^{**} More than 50% of TB cases with reported HIV status.

^{**} Treatment outcome as presented is treatment outcome after 24 months.