Tuberculosis surveillance and monitoring in Europe 2018.





2016 data

Cyprus

Total population at 22 September 2017 by EUROSTAT: 848 319

Tuberculosis case notifications, 2016

Total number of cases	60	
Notification rate per 100 000	7.1	
New* & relapses	57	
New* & relapses notification rate per 100 000	6.7	
Pulmonary	51	(85.0%)
of which microscopy-positive	23	(45.1%)
of which laboratory confirmed	39	(76.5%)
Laboratory-confirmed TB cases	42	(70.0%)
Mean age of new native TB cases	37.3 years	
Mean age of new foreign TB cases	36.9 years	
Foreign origin of all TB cases	56	(93.3%)
New (not previously treated)	55	(91.7%)

^{*} Cases with unknown previous treatment included in new cases.

Drug resistance surveillance & TB-HIV co-infection, 2016

Completeness of DRS data*	Yes		
Completeness of HIV data**	Yes		
Case-linked data reporting	,	Yes	
Cases with DST results	41	(97.6%)	
Estimated RR-TB among notified pulmonary cases N, (best-low-high)	0-0-0		
Pulmonary MDR TB cases notified	0	(0.0%)	
of which XDR TB cases	0	-	
Notified MDR	1	(2.4%)	
of which XDR TB cases	0	(0.0%)	
TB cases tested for HIV	48	(80.0%)	
HIV-positive TB cases	0	(0.0%)	
of these on antiretroviral therapy	-	-	

^{*} National coverage 100% or culturing 90%, C+/All TB cases 50%, DST done for C+75%, EQA 95%.


** More than 50% of TB cases with reported HIV status.

Treatment outcome monitoring


Geographical coverage	Na	tional		
Outcome cohort	New culture positive pulmonary TB cases notified in 2015*		All MDR TB cases notified in 2014**	
Case-linked data reporting		Yes		
Cases notified	34		0	
Success	18	(52,9%)	0	(0.0%)
Died	3	(8,8%)	0	(0.0%)
Failed	0	(0,0%)	0	(0.0%)
Lost to follow-up	2	(5,9%)	0	(0.0%)
Still on treatment	2	(5,9%)	0	(0.0%)
Not evaluated	9	(26,5%)	0	(0.0%)

^{*} Treatment outcome as presented is treatment outcome after 12 months.


Tuberculosis notification rates by treatment history, 2007-2016




New and relapsed TB cases - notification rates by age group, 2007-2016




Tuberculosis cases by geographical origin, 2007-2016




TB-HIV co-infection, 2007-2016



MDR TB cases by previous treatment history, 2007–2016



Treatment outcome, new culture-confirmed pulmonary TB cases, 2006-2015



Source: European Centre for Disease Prevention and Control/WHO Regional Office for Europe. Tuberculosis surveillance and monitoring in Europe 2018 – 2016 data. Stockholm: ECDC; 2018

^{**} Treatment outcome as presented is treatment outcome after 24 months.