Tuberculosis surveillance and monitoring in Europe 2018.



2016 data

Denmark

Total population at 22 September 2017 by EUROSTAT: 5659715

Tuberculosis case notifications, 2016

rubereutosis cuse notificatio		·	
Total number of cases	3	30	
Notification rate per 100 000	5.8		
New* & relapses	292		
New* & relapses notification rate per 100 000	!	5.2	
Pulmonary	262	(79.4%)	
of which microscopy-positive	122	(46.6%)	
of which laboratory confirmed	208	(79.4%)	
Laboratory-confirmed TB cases	258	(78.2%)	
Mean age of new native TB cases	44.7 years		
Mean age of new foreign TB cases	38.0 years		
Foreign origin of all TB cases	221	(67.0%)	
New (not previously treated)	292	(88.5%)	

* Cases with unknown previous treatment included in new cases.

Drug resistance surveillance & TB-HIV


co-infection, 2016		
Completeness of DRS data*	Yes	
Completeness of HIV data**	No	
Case-linked data reporting	Yes	
Cases with DST results	252	(97.7%)
Estimated RR-TB among notified pulmonary cases N, (best–low–high)	1-0-4	
Pulmonary MDR TB cases notified	3	(1.5%)
of which XDR TB cases	0	(0.0%)
Notified MDR TB	4	(1.6%)
of which XDR TB cases	0	(0.0%)
TB cases tested for HIV	150	(45.5%)
HIV-positive TB cases	9	(6.0%)
of these on antiretroviral therapy	-	-

* National coverage 100% or culturing 90%, C+/All TB cases 50%, DST done for C+ 75%, EQA 95%. ** More than 50% of TB cases with reported HIV status.


Tuberculosis notification rates by treatment history, 2007–2016

New & relapses Unknown Other retreatment Total 8 7 Cases / 100 000 6 5 4 3 2 1 0 2007 2011 2013 2015 2009

Tuberculosis cases by geographical origin, 2007–2016



MDR TB cases by previous treatment history, 2007–2016



Treatment outcome monitoring


Geographical coverage	Nat	ional		
Outcome cohort	New culture positive pulmonary TB cases notified in 2015*		All MDR TB cases notified in 2014**	
Case-linked data reporting	١	(es		
Cases notified	209		2	
Success	100	(47.8%)	1	(50.0%)
Died	8	(3.8%)	0	(0.0%)
Failed	6	(2.9%)	0	(0.0%)
Lost to follow-up	1	(0.5%)	0	(0.0%)
Still on treatment	8	(3.8%)	0	(0.0%)
Not evaluated	86	(41.1%)	1	(50.0%)

* Treatment outcome as presented is treatment outcome after 12 months. ** Treatment outcome as presented is treatment outcome after 24 months.


New and relapsed TB cases - notification rates by age group, 2007-2016



TB-HIV co-infection, 2007–2016



Treatment outcome, new culture-confirmed pulmonary TB cases, 2006-2015



Source: European Centre for Disease Prevention and Control/WHO Regional Office for Europe. Tuberculosis surveillance and monitoring in Europe 2018 – 2016 data. Stockholm: ECDC; 2018

© European Centre for Disease Prevention and Control/WHO Regional Office for Europe, 2018