Tuberculosis surveillance and monitoring in Europe 2018.



2016 data

Latvia

Total population at 22 September 2017 by EUROSTAT: 1986 957

Tuberculosis case notifications, 2016

Total number of cases	6	60	
Notification rate per 100 000	3	33.5	
New* & relapses	6	641	
New* & relapses notification rate per 100 000	3	32.6	
Pulmonary	619	(93.8%)	
of which microscopy-positive	265	(42.8%)	
of which laboratory confirmed	535	(86.4%)	
Laboratory-confirmed TB cases	559	(84.7%)	
Mean age of new native TB cases	44.1	44.1 years	
Mean age of new foreign TB cases	56.6	56.6 years	
Foreign origin of all TB cases	43	(6.5%)	
New (not previously treated)	560	(84.8%)	


* Cases with unknown previous treatment included in new cases.

Drug resistance surveillance & TB-HIV


co-infection, 2016			
Completeness of DRS data*	Yes		
Completeness of HIV data**	Yes		
Case-linked data reporting	Yes		
Cases with DST results	536	(95.9%)	
Estimated RR-TB among notified pulmonary cases N, (best–low–high)	62-47-78		
Pulmonary MDR TB cases notified	53	(10.4%)	
of which XDR TB cases	20	(37.7%)	
Notified MDR TB	56	(10.4%)	
of which XDR TB cases	21	(37.5%)	
TB cases tested for HIV	507	(76.8%)	
HIV-positive TB cases	57	(11.2%)	
of these on antiretroviral therapy	34	(59.6%)	

* National coverage 100% or culturing 90%, C+/All TB cases 50%, DST done for C+ 75%, EQA 95%. ** More than 50% of TB cases with reported HIV status.


Tuberculosis notification rates by treatment history, 2007–2016



Tuberculosis cases by geographical origin, 2007–2016



MDR TB cases by previous treatment history, 2007–2016




Treatment outcome monitoring


Geographical coverage	Na	tional		
Outcome cohort	New culture positive pulmonary TB cases notified in 2015*			R TB cases l in 2014**
Case-linked data reporting	,	/es		
Cases notified	477		70	
Success	383	(80.3%)	52	(74.3%)
Died	36	(7.5%)	5	(7.1%)
Failed	0	(0.0%)	1	(1.4%)
Lost to follow-up	23	(4.8%)	11	(15.7%)
Still on treatment	33	(6.9%)	0	(0.0%)
Not evaluated	2	(0.4%)	1	(1.4%)

* Treatment outcome as presented is treatment outcome after 12 months. ** Treatment outcome as presented is treatment outcome after 24 months.


New and relapsed TB cases - notification rates by age group, 2007-2016



TB-HIV co-infection, 2007–2016



Treatment outcome, new culture-confirmed pulmonary TB cases, 2006-2015



Source: European Centre for Disease Prevention and Control/WHO Regional Office for Europe. Tuberculosis surveillance and monitoring in Europe 2018 – 2016 data. Stockholm: ECDC; 2018

 $\ensuremath{\mathbb{C}}$ European Centre for Disease Prevention and Control/WHO Regional Office for Europe, 2018