Tuberculosis surveillance and monitoring in Europe 2018.





2016 data

United Kingdom

Total population at 22 September 2017 by EUROSTAT: 65382556

Tuberculosis case notifications, 2016

Total number of cases	6 175	
Notification rate per 100 000	9.4	
New* & relapses	5793	
New* & relapses notification rate per 100 000	8.9	
Pulmonary	3 3 5 4	(54.3%)
of which microscopy-positive	1379	(41.1%)
of which laboratory confirmed	2535	(75.6%)
Laboratory-confirmed TB cases	3907	(63.3%)
Mean age of new native TB cases	43.7 years	
Mean age of new foreign TB cases	41.5 years	
Foreign origin of all TB cases	4369	(70.8%)
New (not previously treated)	5793	(93.8%)

^{*} Cases with unknown previous treatment included in new cases.

Drug resistance surveillance & TB-HIV co-infection, 2016

Completeness of DRS data*	Yes	
Completeness of HIV data**	No	
Case-linked data reporting	Yes	
Cases with DST results	3789	(97.0%)
Estimated RR-TB among notified pulmonary cases N, (best-low-high)	58-39-78	
Pulmonary MDR TB cases notified	43	(1.8%)
of which XDR TB cases	6	(15.4%)
Notified MDR TB	56	(1.5%)
of which XDR TB cases	7	(14.0%)
TB cases tested for HIV	-	-
HIV-positive TB cases	-	-
of these on antiretroviral therapy	-	-


^{*} National coverage 100% or culturing 90%, C+/All TB cases 50%, DST done for C+ 75%, EQA 95%.

Treatment outcome monitoring


Geographical coverage	Nat	ional		
Outcome cohort	New culture positive pulmonary TB cases notified in 2015*		All MDR TB cases notified in 2014**	
Case-linked data reporting	Υ	'es		
Cases notified	2 2 1 0		56	
Success	1679	(76.0%)	29	(51.8%)
Died	158	(7.1%)	2	(3.6%)
Failed	0	(0.0%)	0	(0.0%)
Lost to follow-up	112	(5.1%)	12	(21.4%)
Still on treatment	226	(10.2%)	10	(17.9%)
Not evaluated	35	(1.6%)	3	(5.4%)

^{*} Treatment outcome as presented is treatment outcome after 12 months.


Tuberculosis notification rates by treatment history, 2007–2016




New and relapsed TB cases – notification rates by age group, 2007–2016




Tuberculosis cases by geographical origin, 2007-2016




TB-HIV co-infection, 2007-2016



MDR TB cases by previous treatment history, 2007–2016



Treatment outcome, new culture-confirmed pulmonary TB cases, 2006-2015



Source: European Centre for Disease Prevention and Control/WHO Regional Office for Europe. Tuberculosis surveillance and monitoring in Europe 2018 – 2016 data. Stockholm: ECDC; 2018

^{**} More than 50% of TB cases with reported HIV status.

^{**} Treatment outcome as presented is treatment outcome after 24 months.