Tuberculosis surveillance and monitoring in Europe 2019





2017 data

Czech Republic

Total population at 23 April 2018 by EUROSTAT: 10 578 820

TB case notifications, 2017

Total number of cases	5	05	
Notification rate per 100000	4	4.8	
New ^a and relapses	4	499	
New ^a and relapses notification rate per 100 000	4	4.7	
Pulmonary	439	(86.9%)	
of which microscopy-positive	201	(45.8%)	
of which laboratory-confirmed	338	(77.0%)	
Laboratory-confirmed TB cases	379	(75.0%)	
Mean age of new native TB cases	53.9 years		
Mean age of new foreign TB cases	40.9 years		
Foreign origin of all TB cases	159	(31.5%)	
New (not previously treated)	472	(93.5%)	

^a Cases with unknown previous treatment included in new cases.


Drug resistance surveillance and TB/HIV coinfection, 2017

Completeness of DRS data ^a	Yes		
Completeness of HIV data ^b	No		
Case-linked data reporting	Yes		
Cases with DST results	350	(92.3%)	
Estimated RR-TB among notified pulmonary cases N, (best–low–high)	13-5-21		
Pulmonary MDR-TB cases notified	6	(1.9%)	
of which XDR-TB cases	2	(33.3%)	
Notified MDR-TB	8	(2.3%)	
of which XDR-TB cases	2	(25.0%)	
TB cases tested for HIV	197	(39.0%)	
HIV-positive TB cases	8	(4.1%)	
of these on ART	-	-	

National coverage 100% or culturing ≥ 90%, C+/all TB cases > 50%, DST done for C+ > 75%, EQA ≥ 95%.
^b More than 50% of TB cases with reported HIV status.

° More than 50% o


TB notification rates by treatment history, 2008–2017



TB cases by geographical origin, 2008-2017

Native Foreign origin ----- Unknown 800 700 600 of cases 500 400 No. 300 200 100 0 2009 2011 2013 2015 2017

MDR-TB cases by previous treatment history, 2008–2017




HIV Treatment outcome monitoring


Geographical coverage	Nat	ional			
Outcome cohort	New culture positive pulmonary TB cases notified in 2016ª Yes		All MDR-TB cases notified in 2015 ^b		
Case-linked data reporting					
Cases notified	331		9		
Success	221	(66.8%)	3	(33.3%)	
Died	54	(16.3%)	1	(11.1%)	
Failed	0	(0.0%)	0	(0.0%)	
Lost to follow-up	39	(11.8%)	1	(11.1%)	
Still on treatment	8	(2.4%)	2	(22.2%)	
Not evaluated	9	(2.7%)	2	(22.2%)	

^a Treatment outcome as presented is treatment outcome after 12 months. ^b Treatment outcome as presented is treatment outcome after 24 months.


New and relapsed TB cases – notification rates by age group, 2008–2017



TB/HIV coinfection, 2008-2017



Treatment outcome, new culture-confirmed pulmonary TB cases, 2007–2016



Source: European Centre for Disease Prevention and Control/WHO Regional Office for Europe. Tuberculosis surveillance and monitoring in Europe 2019 – 2017 data. Stockholm: ECDC; 2019

© European Centre for Disease Prevention and Control/WHO Regional Office for Europe, 2019