Tuberculosis surveillance and monitoring in Europe 2019





2017 data

Spain

Total population at 23 April 2018 by EUROSTAT: 46 528 024

TB case notifications, 2017

Total number of cases	4 570		
Notification rate per 100 000	9.8		
New ^a and relapses	4 379		
New ^a and relapses notification rate per 100 000	9.4		
Pulmonary	3 315	(72.5%)	
of which microscopy-positive	1592	(48.0%)	
of which laboratory-confirmed	2 625	(79.2%)	
Laboratory-confirmed TB cases	3 216	(70.4%)	
Mean age of new native TB cases	51.2	years	
Mean age of new foreign TB cases	37.9	37.9 years	
Foreign origin of all TB cases	1 352	(29.6%)	
New (not previously treated)	4 379	(95.8%)	

^a Cases with unknown previous treatment included in new cases.

Drug resistance surveillance and TB/HIV coinfection, 2017

Completeness of DRS data ^a	Υ	es
Completeness of HIV datab	Yes	
Case-linked data reporting	Yes	
Cases with DST results	969	(30.1%)
Estimated RR-TB among notified pulmonary cases N, (best–low–high)	17-120-210	
Pulmonary MDR-TB cases notified	16	(1.7%)
of which XDR-TB cases	0	(0.0%)
Notified MDR-TB	19	(2.0%)
of which XDR-TB cases	0	(0.0%)
TB cases tested for HIV	3 408	(74.6%)
HIV-positive TB cases	277	(8.1%)
of these on ART	-	-


 $[^]a$ National coverage 100% or culturing \ge 90%, C+/all TB cases > 50%, DST done for C+ > 75%, EQA \ge 95%. b More than 50% of TB cases with reported HIV status.

Treatment outcome monitoring


Geographical coverage	National			
Outcome cohort	New culture positive pulmonary TB cases notified in 2016 ^a		All MDR-TB cases notified in 2015 ^b	
Case-linked data reporting	Yes			
Cases notified	1794		-	-
Success	1257	(70.1%)	-	-
Died	129	(7.2%)	-	-
Failed	0	(0.0%)	-	-
Lost to follow-up	12	(0.7%)	-	-
Still on treatment	33	(1.8%)	-	-
Not evaluated	363	(20.2%)	-	-

 $^{^{\}rm a}$ Treatment outcome as presented is treatment outcome after 12 months. $^{\rm b}$ Treatment outcome as presented is treatment outcome after 24 months.


TB notification rates by treatment history, 2008-2017




New and relapsed TB cases – notification rates by age group, 2008–2017




TB cases by geographical origin, 2008-2017



TB/HIV coinfection, 2008-2017




MDR-TB cases by previous treatment history, 2008–2017^a



 $^{^{\}rm a}$ In 2013, 2015 and 2016, only pulmonary MDR-TB cases were reported.

Treatment outcome, new culture-confirmed pulmonary TB cases, 2007–2016



Source: European Centre for Disease Prevention and Control/WHO Regional Office for Europe. Tuberculosis surveillance and monitoring in Europe 2019 – 2017 data. Stockholm: ECDC; 2019