Tuberculosis surveillance and monitoring in Europe 2019





2017 data

United Kingdom

TB case notifications, 2017

Total number of cases	5 567	
Notification rate per 100 000	8.5	
New ^a and relapses	5 248	
New ^a and relapses notification rate per 100 000	8.0	
Pulmonary	3 048	(54.8%)
of which microscopy-positive	1 202	(39.4%)
of which laboratory-confirmed	2 287	(75.0%)
Laboratory-confirmed TB cases	3 478	(62.5%)
Mean age of new native TB cases	43.3 years	
Mean age of new foreign TB cases	42.0 years	
Foreign origin of all TB cases	3 797	(68.2%)
New (not previously treated)	5 248	(94.3%)

^a Cases with unknown previous treatment included in new cases.

Drug resistance surveillance and TB/HIV coinfection, 2017

Completeness of DRS data ^a	Yes	
Completeness of HIV datab	Yes	
Case-linked data reporting	Yes	
Cases with DST results	3 400	(97.8%)
Estimated RR-TB among notified pulmonary cases N, (best–low–high)	55-36-74	
Pulmonary MDR-TB cases notified	32	(1.4%)
of which XDR-TB cases	3	(10.0%)
Notified MDR-TB	47	(1.4%)
of which XDR-TB cases	3	(6.8%)
TB cases tested for HIV	4 671	(83.9%)
HIV-positive TB cases	138	(3.0%)
of these on ART	115	(83.3%)


 $[^]a$ National coverage 100% or culturing \ge 90%, C+/all TB cases > 50%, DST done for C+ > 75%, EQA \ge 95%. b More than 50% of TB cases with reported HIV status.

Treatment outcome monitoring


Geographical coverage	Nat	ional		
Outcome cohort	New culture positive pulmonary TB cases notified in 2016 ^a		All MDR-TB cases notified in 2015 ^b	
Case-linked data reporting	Yes			
Cases notified	2 284		48	
Success	1736	(76.0%)	29	(60.4%)
Died	155	(6.8%)	3	(6.3%)
Failed	0	(0.0%)	0	(0.0%)
Lost to follow-up	118	(5.2%)	3	(6.3%)
Still on treatment	209	(9.2%)	10	(20.8%)
Not evaluated	66	(2.9%)	3	(6.3%)

^a Treatment outcome as presented is treatment outcome after 12 months. ^b Treatment outcome as presented is treatment outcome after 24 months.


TB notification rates by treatment history, 2008-2017




New and relapsed TB cases - notification rates by age group, 2008-2017




TB cases by geographical origin, 2008-2017




TB/HIV coinfection, 2008-2017



MDR-TB cases by previous treatment history, 2008-2017



Treatment outcome, new culture-confirmed pulmonary TB cases, 2007-2016



Source: European Centre for Disease Prevention and Control/WHO Regional Office for Europe. Tuberculosis surveillance and monitoring in Europe 2019 – 2017 data. Stockholm: ECDC; 2019