

Annex 9. Excluded studies

Not 2016+ / 2009+ sample

- Abreu I, Palma P, Graca L, Filipe R, Ruas R, Branco E et al. Syphilis and HIV: characteristics of the co-infection inpatients newly diagnosed with HIV. *J Int AIDS Soc* 2018; 21 Suppl 8(Suppl 8): e25187.
- Andersson N, Allard A, Lidgren Y, Boman J, Nylander E. Are Urogenital Symptoms Caused by Sexually Transmitted Infections and Colonizing Bacteria? *J Low Genit Tract Dis* 2021; 25(3): 232-235.
- Bogers S, Schim van der Loeff M, Boyd A, van Dijk N, Geerlings S, van Bergen J et al. Improving provider-initiated testing for HIV and other STI in the primary care setting in Amsterdam, the Netherlands: Results from a multifaceted, educational intervention programme. *PLoS One* 2023; 18(3): e0282607.
- Boiko I, Golparian D, Krynytska I, Unemo M. High prevalence of *Chlamydia trachomatis*, *Neisseria gonorrhoeae* and particularly *Trichomonas vaginalis* diagnosed using US FDA-approved Aptima molecular tests and evaluation of conventional routine diagnostic tests in Ternopil, Ukraine. *APMIS* 2019; 127(9): 627-634.
- Braun DL, Marzel A, Steffens D, Schreiber PW, Grube C, Scherrer AU et al. High Rates of Subsequent Asymptomatic Sexually Transmitted Infections and Risky Sexual Behavior in Patients Initially Presenting With Primary Human Immunodeficiency Virus-1 Infection. *Clin Infect Dis* 2018; 66(5): 735-742.
- Coffey AJ, Dwyer J. An Insight Into STIs Commonly Encountered In A University Health Department – Prevalence And Predictive Factors. *Ir J Med Sci* 2018; 187(Suppl 3): 17-113.
- De Baetselier I, Osbak KK, Smet H, Kenyon CR, Crucitti T. Take three, test one: a cross-sectional study to evaluate the molecular detection of *Chlamydia trachomatis* and *Neisseria gonorrhoeae* in pooled pharyngeal, anorectal and urine samples versus single-site testing among men who have sex with men in Belgium. *Acta Clin Belg* 2020; 75(2): 91-95.
- Di Tullio F, el VD, Coppini M, Mussini C, Borghi V, Pellacani G. Collaboration experience between dermatology unit and infectious disease clinic in modena: Optimization strategies for hiv, hepatitis and syphilis screening tests. *Journal of the Dermatology Nurses' Association* 2020.
- Evers Y, Van Liere G, Dukers-Muijers N, Van Bergen J, Hoebe C. Is there an optimal testing scenario for pharyngeal *Chlamydia trachomatis* in women? *Sexually Transmitted Infections* 2021: A75.
- Field N, Clifton S, Alexander S, Ison CA, Khanom R, Saunders P et al. *Trichomonas vaginalis* infection is uncommon in the British general population: implications for clinical testing and public health screening. *Sex Transm Infect* 2018; 94(3): 226-229.
- Gambiez C, Garet C, Choquet M, Decroix V, Pluquet E, Guiheneuf R et al. Limited efficacy of nontreponemal test combined with treponemal test in the initial syphilis screening algorithm. *J Med Microbiol* 2019; 68(2): 216-220.
- Gassowski M, Poethko-Mueller C, Dudareva S, Bremer V, Schlaud M, Jansen K. Chlamydia-screening for women under the age of 25 years in germany-how are we doing? *Sexually Transmitted Infections* 2019: A217.
- Gassowski M, Poethko-Muller C, Schlaud M, Sailer A, Dehmel K, Bremer V et al. Prevalence of *Chlamydia trachomatis* in the general population in Germany - a triangulation of data from two population-based health surveys and a laboratory sentinel system. *BMC Public Health* 2022; 22(1): 1107.
- Göcke P, Téllez-Castillo CJ, Meining L, Scharmann C, Biermann-Göcke S. German Congress of Laboratory Medicine: 16th Annual Congress of the DGKL (German Society of Clinical Chemistry and Laboratory Medicine). *Journal of Laboratory Medicine* 2019; 43(4): eA1-eA116. eA1.
- Götz HM, van Oeffelen LAAM, Hoebe CJPA, van Benthem BHB. Regional differences in chlamydia and gonorrhoeae positivity rate among heterosexual STI clinic visitors in the Netherlands: contribution of client and regional characteristics as assessed by cross-sectional surveillance data. *BMJ Open* 2019; 9(1): e022793. e022793.
- Grad AI, Vica ML, Ungureanu L, Siserman CV, Tataru AD, Matei HV. Assessment of STI screening in Romania using a multiplex PCR technique. *J Infect Dev Ctries* 2020; 14(4): 341-348.
- Guralp O, Bostanci A, Ozerkman Basaran E, Schild-Suhren M, Kaya B. Evaluation of the prevalence of sexually transmitted bacterial pathogens in Northern Cyprus by nucleic acid amplification tests, and investigation of the relationship between these pathogens and cervicitis. *Turk J Obstet Gynecol* 2019; 16(4): 242-248.
- Hampel B, Kusejko K, Kouyos RD, Boni J, Flepp M, Stockle M et al. Chemsex drugs on the rise: a longitudinal analysis of the Swiss HIV Cohort Study from 2007 to 2017. *HIV Med* 2020; 21(4): 228-239.
- Harding-Esch EM, Fuller SS, Chow SC, Nori AV, Harrison MA, Parker M et al. Diagnostic accuracy of a prototype rapid chlamydia and gonorrhoea recombinase polymerase amplification assay: a multicentre cross-sectional preclinical evaluation. *Clin Microbiol Infect* 2019; 25(3): 380 e381-380 e387.
- Horwood J, Brangan E, Manley P, Horner P, Muir P, North P et al. Management of chlamydia and gonorrhoea infections diagnosed in primary care using a centralised nurse-led telephone-based service: mixed methods evaluation. *BMC Fam Pract* 2020; 21(1): 265.
- Jorgensen KM, Bruun Gronboek IM, Hoffmann S, Jensen JS, Kiellberg Larsen H, Westh H. *Chlamydia trachomatis* and lymphogranuloma venereum in extra-genital samples: a retrospective population-based study from Copenhagen, Denmark, 2011-2017. *Acta Dermato-Venereologica* 2022; 102: 50.
- Kaliterna V, Kuštera M, Kaliterna P. Je li došlo vrijeme da Republika Hrvatska uvede probir na klamidiju među adolescentskom populacijom? *Infektološki glasnik* 2022; 41(3): 72-78. 72.

Lattes S, Freour T, Mirallie S, Guillouzouic A, Corvec S, Juvin ME et al. [Interest of systematic syphilis serology testing prior to assisted reproductive technology cycles: a retrospective study in Nantes, France]. *J Gynecol Obstet Biol Reprod (Paris)* 2013; 42(3): 262-264.

Leenen J, van Liere G, Hoebe C, Hogewoning AA, de Vries HJC, Dukers-Muijers N. A longitudinal study to investigate previous *Chlamydia trachomatis* infection as a risk factor for subsequent anorectal infection in men who have sex with men (MSM) and women visiting STI clinics in the Netherlands. *Epidemiol Infect* 2019; 147: e214.

Lopez-Fabal F, Gomez-Garces JL. [Serological markers of Spanish and immigrant pregnant women in the south of Madrid during the period 2007-2010]. *Rev Esp Quimioter* 2013; 26(2): 108-111.

Lutowski JE, Shiely F, Molloy EJ. The prevalence of syphilis at childbirth in Ireland: a six-year review. *J Matern Fetal Neonatal Med* 2014; 27(17): 1823-1825.

McGettrick P, Ferguson W, Jackson V, Eogan M, Lawless M, Cipriani V et al. Syphilis serology in pregnancy: an eight-year study (2005-2012) in a large teaching maternity hospital in Dublin, Ireland. *Int J STD AIDS* 2016; 27(3): 226-230.

Palazzotto E, Bonura F, Cala C, Capra G, Pistoia D, Mangione D et al. Serological status for TORCH in women of childbearing age: a decade-long surveillance (2012-2022) in Italy. *J Med Microbiol* 2023; 72(7).

Ruzicic S, Jessen A, Jessen H. LGV in patients attending an sti outpatient clinic in Berlin: An urban emergence with high proportion of HIV-coinfections. *Sexually Transmitted Infections* 2019: A227.

Slurink IA, Gotz HM, van Aar F, van Benthem BH. Educational level and risk of sexually transmitted infections among clients of Dutch sexual health centres. *Int J STD AIDS* 2021; 32(11): 1004-1013.

Soler-Gonzalez J, Real J, Farre J, Serna C, Cruz I, Ruiz C et al. [Comparative analysis of serological tests performed in immigrants in the Lleida health area]. *Aten Primaria* 2013; 45(2): 84-91.

Tipple C, Rayment M, Mandalia S, Walton L, O'Neill S, Murray J et al. An evaluation study of the Becton-Dickinson ProbeTec Qx (BDQx) *Trichomonas vaginalis* trichomoniasis molecular diagnostic test in two large, urban STD services. *Sex Transm Infect* 2018; 94(5): 334-336.

Tjagur S, Mandar R, Punab M. Prevalence of *Mycoplasma genitalium* and other sexually transmitted infections causing urethritis among high-risk heterosexual male patients in Estonia. *Infect Dis (Lond)* 2018; 50(2): 133-139.

Tosic-Pajic J, Sazdanovic P, Sorak M, Cucik J, Arsovic A, Milovanovic D et al. *Chlamydia trachomatis* screening in resource-limited countries - Comparison of diagnostic accuracy of 3 different assays. *J Infect Dev Ctries* 2018; 12(9): 733-740.

Van Liere G, Dukers-Muijers N, Kuizenga-Wessel S, Götz H, Hoebe C. What is the optimal testing strategy for oropharyngeal *Neisseria gonorrhoeae* in women visiting STI clinics? *Sexually Transmitted Infections* 2019: A39.

van Liere G, Dukers-Muijers N, Kuizenga-Wessel S, Gotz HM, Hoebe C. What Is the Optimal Testing Strategy for Oropharyngeal *Neisseria gonorrhoeae* in Men Who Have Sex With Men? Comparing Selective Testing Versus Routine Universal Testing From Dutch Sexually Transmitted Infection Clinic Data (2008-2017). *Clin Infect Dis* 2020; 71(4): 944-951.

Varughese A, Jackson V, Cafferkey M, Brennan M, Lawless M, Cipriani V et al. PM.99 Syphilis Serology in Pregnant Women Over a Period of 7 Years (2005–2011) in a Large Maternity Hospital in Dublin, Ireland. *Archives of Disease in Childhood - Fetal and Neonatal Edition* 2013; 98(Suppl 1): A53.51-A53. A53.1.

Vilibic-Cavlek T, Kolaric B, Pavlic J, Kosanovic-Licina ML, Nemeth-Blazic T. Seroprevalence and Risk Factors for HIV, Hepatitis B, and Syphilis in Populations with High-risk Behaviors in Croatia. *Acta Dermatovenerol Croat* 2018; 26(4): 3147-3320.

Willemstein IJM, Gotz HM, Visser M, Heijne JCM. HIV and syphilis testing for women and heterosexual men aged above 25 years in the Netherlands: possibilities for targeted testing at sexual health centres. *BMJ Open* 2023; 13(9): e072862.

Not PE

Agusti C, Martinez Riveros H, Garcia-Perez J, Descalzo V, Fernandez G, Ramirez-Marinero A et al. Feasibility and impact of online HIV/STI screening addressed to men who have sex with men and transgender women users of pre-exposure prophylaxis (PrEP) in Spain (TESTATE PrEP): a study protocol for a non-blinded randomised controlled trial. *BMJ Open* 2023; 13(10): e073459.

Ahaus P, Schmidt AJ, Skaletz-Rorowski A, Uhrmacher M, Serova K, Kayser A et al. Changes in the user profiles of HIV pre-exposure prophylaxis (PrEP) before and after PrEP reimbursement. *J Infect Public Health* 2022; 15(9): 955-960.

Alarcon Gutierrez M, Fernandez Quevedo M, Martin Valle S, Jacques-Avino C, Diez David E, Cayla JA et al. Acceptability and effectiveness of using mobile applications to promote HIV and other STI testing among men who have sex with men in Barcelona, Spain. *Sex Transm Infect* 2018; 94(6): 443-448.

Allen H, Kirwan P, Brown AE, Mohammed H, Hughes G, Marks M et al. Does being on HIV antiretroviral therapy increase the risk of syphilis? An analysis of a large national cohort of MSM living with HIV in England 2009-2016. *Sex Transm Infect* 2021; 97(3): 221-225.

Allen H, Pitt R, Bardsley M, Smolarchuk C, Sullivan A, Mohammed H et al. Investigating the decline in Lymphogranuloma venereum diagnoses in men who have sex with men in the United Kingdom since 2016: an analysis of surveillance data. *Sex Health* 2020; 17(4): 344-351.

Altuntas Aydin O, Senoglu S, Kumbasar Karaosmanoglu H, Yesilbag Z, Canbolat Unlu E. Prevalence of syphilitic hepatitis among HIV-infected patients in Istanbul, Turkey, a region with increasing incidence of syphilis and HIV infection. *HIV Medicine* 2019; 20(S9): 317-337. 317.

Amada PL, Laura RA, Mar SM, Purificacion AB, Jose GV, Jimena MR et al. Evolution of the epidemiological surveillance indicators of the main sexually transmitted infections in Spain: A retrospective observational study (2011-2019). *Midwifery* 2022; 111: 103362.

Andersen MW, Johansen MB, Bjorn-Mortensen K, Pedersen ML, Jensen JS, Koch A. Syphilis in Greenland, 2015 to 2019. *Sex Transm Dis* 2022; 49(3): 190-196.

Apalla Z, Lallas A, Mastrafitsi S, Giannoukos A, Noukari D, Goula M et al. Impact of COVID-19 pandemic on STIs in Greece. *Sexually Transmitted Infections* 2022; 98(1): 70-70. 70.

Attridge S, Green L. Evaluation of a specific MSM clinic...21st National HIV Nurses Association Annual Conference, 27-28 June 2019, Manchester Conference Centre, Manchester, UK. *HIV Nursing* 2019: 57-57.

Baas M, Beers E, van Dam AP, van Bergen JE. Who cares for syphilis? A cross-sectional study on diagnosis and treatment of syphilis by GPs in Amsterdam, the Netherlands. *BJGP Open* 2020; 4(2).

Barbaric J, Kuchukhidze G, Seguy N, Vovc E, Babovic MJT, Wi TE et al. Surveillance and epidemiology of syphilis, gonorrhoea and chlamydia in the non-European Union countries of the World Health Organization European Region, 2015 to 2020. *Euro Surveill* 2022; 27(8).

Beaney T, Clarke JM, Grundy E, Coronini-Cronberg S. A picture of health: determining the core population served by an urban NHS hospital trust and understanding the key health needs. *BMC Public Health* 2022; 22(1): 75.

Bizova B, Rob F, Tresnak Hercogova J. Increase of early syphilis cases during the COVID-19 pandemic in the Czech Republic. *Sex Transm Infect* 2022; 98(3): 231.

Boesecke C, Kimhofer T, Tocha C, Schubert O, Rybak R, Kuhlen K et al. PrEP rollout and COVID-19 are impacting community-based testing for HIV and other STIs. *Topics in Antiviral Medicine* 2022: 372-373.

Bruisten SM, de Salazar A, Espadafor B, Fuentes-López A, Barrientos-Durán A, Salvador L et al. Comparison between Aptima Assays (Hologic) and the Allplex STI Essential Assay (Seegene) for the diagnosis of Sexually transmitted infections. *Plos One* 2019; 14(9): e0222439. e0222439.

Camacho C, Camacho EM, Lee DM. Trends and projections in sexually transmitted infections in people aged 45 years and older in England: analysis of national surveillance data. *Perspect Public Health* 2023; 143(5): 263-271.

Casanova-Esquembre A, Fuster Escriva B, Lorca Sprohnlé J, Labrandero-Hoyos C, Penuelas-Leal R, Gimeno Cardona C et al. Epidemiologic Profile of the Main Bacterial Sexually Transmitted Infections During the SARS-CoV-2 Pandemic. *Actas Dermosifiliogr* 2023; 114(2): 108-113.

Catarino R, Cherkaoui A, Trelu LT, Yaron M. *Chlamydia trachomatis* screening in Switzerland: the experience of the Geneva University Hospitals. *Eur J Contracept Reprod Health Care* 2018; 23(sup1): 1-143.

Chromy D, Sadoghi B, Gasslitter I, Skocic M, Okoro A, Grabmeier-Pfistershammer K et al. Lymphogranuloma venereum is highly prevalent among rectal chlamydia infections and HIV-positive men who have sex with men in Austria: findings from an observational multicentre study. *Journal of the International AIDS Society* 2022; 25: 166-167.

Cielniak I, Siwak E, Pazdan I, Szymańska-Kotwica B, Parczewski M. Clinical outcomes of pre-exposure prophylaxis from clinical center in Warsaw, Poland. *HIV Medicine* 2019; 20(S9): 317-337. 317.

Clune M, Navaratne L, Marsden R, Proom T, Whalen S, Twydall E et al. Testing 16739 samples for *Trichomonas vaginalis* from ten separate online STI testing services across different regions of England. *Sexually Transmitted Infections* 2023: A97.

Coessens M, Holvoet T, Schouten J, Verlinden W. Awareness of chronic hepatitis B and C among men who have sex with men (MSM): epidemiological survey and on-site screening. *Journal of Hepatology* 2022; 77: S546-S547. S546.

Coyer L, Prins M, Davidovich U, van Bilsen WPH, Schim van der Loeff MF, Hoornenborg E et al. Trends in Sexual Behavior and Sexually Transmitted Infections After Initiating Human Immunodeficiency Virus Pre-Exposure Prophylaxis in Men Who Have Sex with Men from Amsterdam, the Netherlands: A Longitudinal Exposure-Matched Study. *AIDS Patient Care STDS* 2022; 36(6): 208-218.

Crofts M, hu M, Gobin M, Lewis J, Erswell H, Liva-Pye K et al. Can local information on coverage and positivity using geomapping better inform targeting of chlamydia screening in young people? *HIV Medicine* 2018: S129.

Cusini M, Benardon S, Vidoni G, Brignolo L, Veraldi S, Mandolini PL. Trend of main STIs during COVID-19 pandemic in Milan, Italy. *Sex Transm Infect* 2021; 97(2): 99.

De Baetselier I, Apers L, Platteau T, Buyze J, Florence E, Kenyon C et al. The impact of physical restriction measures imposed during the two waves of COVID-19 on chlamydia and gonorrhoea diagnoses in Belgium. Results of an sexually transmitted infection clinic. *Int J STD AIDS* 2021; 32(11): 998-1003.

De Baetselier I, Apers L, Platteau T, Wouters K, Buyze J, Florence E et al. The impact of the COVID-19 pandemic on the trends of sexually transmitted infections in Belgium. results of an STI clinic. *Sexually Transmitted Infections* 2021: A123.

De Baetselier I, Reyniers T, Platteau T, Wouters K, Nostlinger C, Cuylaerts V et al. Recurrent Sexually Transmitted Infections Among a Cohort of Men Who Have Sex With Men Using Preexposure Prophylaxis in Belgium Are Highly Associated With Sexualized Drug Use. *Sex Transm Dis* 2021; 48(10): 726-732.

De Baetselier I, Smet H, Abdellati S, De Deken B, Cuylaerts V, Reyniers T et al. Evaluation of the 'Colli-Pee', a first-void urine collection device for self-sampling at home for the detection of sexually transmitted infections, versus a routine clinic-based urine collection in a one-to-one comparison study design: efficacy and acceptability among MSM in Belgium. *BMJ Open* 2019; 9(4): e028145.

De Baetselier I, Tsoumanis A, Florence E, Van den Berghe W, Crucitti T, Van den Bossche D et al. Did Pre-exposure Prophylaxis Roll-Out Influence the Epidemic of Rectal Lymphogranuloma Venereum in Belgium? Results From the National Surveillance System. *J Acquir Immune Defic Syndr* 2021; 86(1): e1-e5.

De Baetselier I, Tsoumanis A, Verbrugge R, De Deken B, Smet H, Abdellati S et al. Lymphogranuloma venereum is on the rise in Belgium among HIV negative men who have sex with men: surveillance data from 2011 until the end of June 2017. *BMC Infect Dis* 2018; 18(1): 689.

De Keukeleire S, De Smet S, Lagrou K, Oosterlynck J, Verhulst M, Serru J et al. Multicentric analytical and clinical comparison of Elecsys Syphilis (Roche®), Architect Syphilis TP and Reformulated Architect Syphilis TP (Abbott®) assay. *Acta Clin Belg* 2016; 71(sup1): 1-44.

de Lazzari E, Martinez-Mimbrero A, Chivite I, Gonzalez-Cordon A, Mosquera MM, Laguno M et al. Impact of coronavirus disease 2019 epidemics on prevention and care for HIV and other sexually transmitted infections. *AIDS* 2022; 36(6): 829-838.

Den Daas C, Van Aar F, Van Benthem BHB. Evaluating the impact of health reforms in the Netherlands: Assessing the impact of an alcohol ban on sexually transmitted infections in national surveillance data. *Health Policy* 2019; 123(10): 992-997.

Dogan K, Guraslan H, Ozel G, Aydan Z, Yasar L. [Seroprevalence rates of *Toxoplasma gondii*, rubella, cytomegalovirus, syphilis, and hepatitis B, seroprevalences rate in the pregnant population in Istanbul]. *Turkiye Parazitoloj Derg* 2014; 38(4): 228-233.

Freyne B, Stafford A, Knowles S, O'Hora A, Molloy E. Perinatal *Treponema pallidum*: evidence based guidelines to reduce mother to child transmission. *Ir Med J* 2014; 107(1): 14-16.

Garcia-Vazquez J, Quinto Domech L, Nascimento M, Agullo-Tomas E. [Evolution of sexual health in spanish and asturian adolescents]. *Rev Esp Salud Publica* 2019; 93.

Gray P, Luostarinen T, Vanska S, Eriksson T, Lagheden C, Man I et al. Occurrence of human papillomavirus (HPV) type replacement by sexual risk-taking behaviour group: Post-hoc analysis of a community randomized clinical trial up to 9 years after vaccination (IV). *Int J Cancer* 2019; 145(3): 785-796.

Green F, Charles H, Fifer H, Mohammed H, Saunders J, Buitendam E et al. Characterising the increase in syphilis in England between 2012 and 2021 by stage of infection at diagnosis. *Sexually Transmitted Infections* 2023: A15-A17.

Gregson S, McOwan A, Whitlock G, Dean Street Collaborative G. Towards no missed opportunities: the experience of 56 Dean Street. *Lancet HIV* 2021; 8(5): e251-e252.

Hampel B, Kusejko K, Kouyos R, Boeni J, Flepp M, Stoeckle M et al. Chemsex drugs on the rise among MSM: a longitudinal analysis of the Swiss HIV Cohort Study from 2007 to 2017. *J Int AIDS Soc* 2018; 21 Suppl 8(Suppl 8): e25187.

Hedley PL, Hoffmann S, Lausten-Thomsen U, Voldstedlund M, Bjerre KD, Hviid A et al. A Nationwide Observational Study of *Chlamydia trachomatis* Infections in Denmark during the COVID-19 Pandemic. *Acta Derm Venereol* 2022; 102: adv00704.

Herrero M, Broner S, Cruells A, Esteve S, Ferre L, Mendioroz J et al. Epidemiology and antimicrobial resistance profile of *Neisseria gonorrhoeae* in Catalonia, Spain, 2016-2019. *Eur J Clin Microbiol Infect Dis* 2023; 42(7): 883-893.

Holt R, Kennedy R. Effect of the COVID-19 pandemic on chlamydia testing and diagnosis within Scotland's largest sexual health service. *Sexually Transmitted Infections* 2022: A53-A54.

Incera-Fernandez D, Roman FJ, Gamez-Guadix M. Risky Sexual Practices, Sexually Transmitted Infections, Motivations, and Mental Health among Heterosexual Women and Men Who Practice Sexualized Drug Use in Spain. *Int J Environ Res Public Health* 2022; 19(11).

Isrctn. Evaluating HIS-UK, a condom promotion intervention to reduce chlamydia infection among young men. 2019.

Ivarsson L, de Arriba Sanchez de la Campa M, Elfving K, Yin H, Gullsby K, Stark L et al. Changes in testing and incidence of *Chlamydia trachomatis* and *Neisseria gonorrhoeae* - the possible impact of the COVID-19 pandemic in the three Scandinavian countries. *Infect Dis (Lond)* 2022; 54(9): 623-631.

Jardim Santos C, Gomes B, Ribeiro AI. Mapping Geographical Patterns and High Rate Areas for Sexually Transmitted Infections in Portugal: A Retrospective Study Based on the National Epidemiological Surveillance System. *Sex Transm Dis* 2020; 47(4): 261-268.

Jongen VW, Reyniers T, Ypma ZM, Schim van der Loeff MF, Davidovich U, Zimmermann HM et al. Choosing event-driven and daily HIV pre-exposure prophylaxis - data from two European PrEP demonstration projects among men who have sex with men. *J Int AIDS Soc* 2021; 24(8): e25768.

Karcheva M, Haydudova H, Gospodinov D. Epidemiological surveillance of syphilis in Plevan region, Bulgaria. *European Journal of Public Health* 2020; 30(Supplement_5): V877-V877.

Karcheva M, Haydudova H, Mihaylova S. Syphilis in Bulgaria - Current trends. *General Medicine* 2015: 27-30.

Karkashadze E, Kakhaberi D, Abutidze A, Korkotashvili G, Tsertsvadze T, Chkhartishvili N. No new HIV infections, but high incidence of syphilis among Pre-exposure Prophylaxis (PrEP) users in Georgia. *HIV Medicine* 2019; 20(S9): 317-337. 317.

King C, Hughes G, Furegato M, Mohammed H, Were J, Copas A et al. Predicting STI Diagnoses Amongst MSM and Young People Attending Sexual Health Clinics in England: Triage Algorithm Development and Validation Using Routine Clinical Data. *EClinicalMedicine* 2018; 4-5: 43-51.

Koppe U, Seifried J, Marcus U, Albrecht S, Jansen K, Jessen H et al. Self-reported STI history and associated factors among German PrEP users. *HIV Medicine* 2019; 20(S9): 317-337. 317.

Korup AK, Thygesen LC, Christensen R, Johansen C, Sondergaard J, Hvidt NC. Association between sexually transmitted disease and church membership. A retrospective cohort study of two Danish religious minorities. *BMJ Open* 2016; 6(3): e010128.

Krotik OI. Epidemiology of sexually transmitted infections in Ukraine. *Reproductive Endocrinology* 2020; (56): 8-12. 8.

Latini A, Magri F, Giuliani E, Giuliani M, Garelli V, Pontone M et al. Continuing evidence that COVID-19 has influenced syphilis epidemiology in Rome. *Sexually Transmitted Infections* 2022; 98(1): 72-72. 72.

Lee MJ, Suranga P, Ojilong E, Phoenix C, Nori A, Menon-Johansson A. Managing the syphilis outbreak in the era of digital partner notification. *HIV Medicine* 2018; 19: S54.

Lopez Corbeto E, Lugo Colon R, Montoro Fernandez M, Casabona Barbara J, en nombre del Grupo de ITSdICdvedC. Epidemiological situation of post-pandemic sexually transmitted infections in Catalonia, Spain. *Med Clin (Barc)* 2023; 161(3): 95-100.

Maki-Koivisto V, Sinikumpu SP, Jokelainen J, Aho-Laukkanen E, Junntila IS, Huilaja L. Impact of COVID-19 Pandemic on the Incidence of Sexually Transmitted Infections in Northern Finland in 2019 to 2022. *Acta Derm Venereol* 2022; 102: adv00795.

Marcus U, Schink SB, Weber C. HIV pre-exposure prophylaxis and diagnoses of sexually transmitted infections - observational data from German checkpoints, 01/2019-08/2021. *BMC Public Health* 2023; 23(1): 661.

Mårdh O. Public health approaches to gonorrhoea prevention and the threat of antibiotic resistance-perspectives from Europe. *Sexually Transmitted Infections* 2019: A31.

Martin-Ezquerro G, Monreal P, Mercuriali L, Canas-Ruano E, Pujol RM, Duran X et al. Evolution of notified sexually transmitted infections in Barcelona during the first wave of the COVID-19 pandemic. *J Eur Acad Dermatol Venereol* 2021; 35(10): e642-e645.

Mathe PJG, Usadel S, Rieg S, Kern WV, Muller MC. Long-term follow-up after introduction of a systematic sexually transmitted infection screening program for men having sex with men living with HIV in a primary care setting: uptake, STI incidence, and risk factors for infection and reinfection. *Infection* 2023; 51(4): 897-907.

Merrick R, Pitt R, Enayat Q, Day M, Thorn L, Mohammed H et al. National surveillance of disseminated gonococcal infection: preliminary findings from cross-sectional survey data in England, 2016–21. *The Lancet* 2021; 398: S65-S65. S65.

Molloy EJ, Owoeye C, Knowles S. Is antenatal screening for syphilis still necessary? *Irish Medical Journal* 2012.

Molnar A, Iancu M, Radu R, Borzan CM. A Joinpoint Regression Analysis of Syphilis and Gonorrhea Incidence in 15-19-Year Old Adolescents between 2005 and 2017: A Regional Study. *Int J Environ Res Public Health* 2020; 17(15).

Mugglin C, Bosetti D, Braun D, Schmid P, Bernasconi E, Stoeckle M et al. Risk factors and prevalence of syphilis, gonorrhoea and chlamydia infections in the Swiss HIV cohort study. *HIV Medicine* 2019; 20(S9): 317-337. 317.

Ndeikoundam Ngangro N, Viriot D, Fournet N, Pioche C, De Barbeyrac B, Goubard A et al. Bacterial sexually transmitted infections in France: recent trends and patients' characteristics in 2016. *Euro Surveill* 2019; 24(5).

Newby K, Kwah K, Schumacher L, Crutzen R, Bailey JV, Jackson LJ et al. An Intervention to Increase Condom Use Among Users of Sexually Transmitted Infection Self-sampling Websites (Wrapped): Protocol for a Randomized Controlled Feasibility Trial. *JMIR Res Protoc* 2023; 12: e43645.

Niedzwiedzka-Stadnik M, Rosinska M, Zakrzewska K. Syphilis in Poland in 2019. *Przegl Epidemiol* 2021; 75(4): 613-625.

Niedzwiedzka-Stadnik M, Zakrzewska K. Sexually transmitted infections in Poland in 2013-2018 in comparison to other European countries based on infectious diseases surveillance in Poland and in Europe. *Przegl Epidemiol* 2021; 75(4): 502-514.

Niedzwiedzka-Stadnik M, Zakrzewska K. Syphilis in Poland in 2020. *Przegl Epidemiol* 2022; 76(3): 391-401.

Palminha P, Padua E, Cortes-Martins H, Borrego MJ, Matos R, Moura S et al. National serological survey – Portugal 2015–2016: Study design. *Journal of Clinical Virology* 2016; 82: S109-S110. S109.

Pearce E, Jolly K, Price M, Mohammed H, Allen H, Ross J. Umbrella combined sexual health services, chlamydia screening and deprivation: Are we achieving continued screening of high-risk populations? *Sexually Transmitted Infections* 2021: A116.

Peuchant O, Touati A, Laurier-Nadalié C, Hénin N, Cazanave C, Bébéar C et al. Prevalence of lymphogranuloma venereum among anorectal Chlamydia trachomatis-positive MSM using pre-exposure prophylaxis for HIV. *Sexually Transmitted Infections* 2020; 96(8): 615-617. 615.

Pinho-Bandeira T, Cabral Veríssimo V, Sá Machado R. The epidemiology of chlamydia, gonorrhoea and syphilis in Portugal: where do we go from now? *European Journal of Public Health* 2020; 30(Supplement_5): V199-V199.

Prochazka M, Charles H, Allen H, Cole M, Hughes G, Sinka K. Rapid Increase in Lymphogranuloma Venereum among HIV-Negative Men Who Have Sex with Men, England, 2019. *Emerg Infect Dis* 2021; 27(10): 2695-2699.

Saarentausta K, Ivarsson L, Jacobsson S, Herrmann B, Sundqvist M, Unemo M. Potential impact of the COVID-19 pandemic on the national and regional incidence, epidemiology and diagnostic testing of chlamydia and gonorrhoea in Sweden, 2020. *APMIS* 2022; 130(1): 34-42.

Schmidt D, Kollan C, Bartmeyer B, Bremer V, Schikowski T, Friebe M et al. Low incidence of HIV infection and decreasing incidence of sexually transmitted infections among PrEP users in 2020 in Germany. *Infection* 2023; 51(3): 665-678.

Schmidt D, Kollan C, Schewe K, Hanhoff N, Rutenberg R, Friebe M et al. [Evaluating the introduction of HIV pre-exposure prophylaxis as a benefit of statutory health insurance (EvE-PrEP) : Highly effective protection against

HIV without an increase in sexually transmitted infections]. Bundesgesundheitsblatt Gesundheitsforschung Gesundheitsschutz 2023; 66(9): 1008-1018.

Sentis A, Montoro-Fernandez M, Lopez-Corbeto E, Egea-Cortes L, Nomah DK, Diaz Y et al. STI epidemic re-emergence, socio-epidemiological clusters characterisation and HIV coinfection in Catalonia, Spain, during 2017-2019: a retrospective population-based cohort study. BMJ Open 2021; 11(12): e052817.

Sentis A, Prats-Urbe A, Lopez-Corbeto E, Montoro-Fernandez M, Nomah DK, de Olalla PG et al. The impact of the COVID-19 pandemic on Sexually Transmitted Infections surveillance data: incidence drop or artefact? BMC Public Health 2021; 21(1): 1637.

Serwin AB, Kaczynska J, Flisiak I. The impact of the COVID-19 pandemic on sexually transmitted infections services - experience from Bialystok, Poland. Przegl Epidemiol 2021; 75(2): 151-158.

Silva L, Queirós C, Borges-Costa J, Barreto R, Filipe P, Melo-Cristino J. Infecciones por *Chlamydia trachomatis* en un hospital portugués de atención terciaria: estudio retrospectivo de 11 años. Actas Dermo-Sifiliográficas 2021; 112(6): 528-533. 528.

Sonubi T, Sheik-Mohamud D, Ratna N, Bell J, Talebi A, Mercer CH et al. STI testing, diagnoses and online chlamydia self-sampling among young people during the first year of the COVID-19 pandemic in England. Int J STD AIDS 2023; 34(12): 841-853.

Syred J, Holdsworth G, Howroyd C, Spelman K, Baraitser P. Choose to test: self-selected testing for sexually transmitted infections within an online service. Sex Transm Infect 2019; 95(3): 171-174.

Thomson-Glover R, Neeson A. TV NAAT testing: NAAT seen in asymptomatic patients. HIV Medicine 2018; S146-S147.

van Bilsen WPH, Boyd A, van der Loeff MFS, Davidovich U, Hogewoning A, van der Hoek L et al. Diverging trends in incidence of HIV versus other sexually transmitted infections in HIV-negative MSM in Amsterdam. AIDS 2020; 34(2): 301-309.

van Wees DA, den Daas C, Kretzschmar MEE, Heijne JCM. Who drops out and when? Predictors of non-response and loss to follow-up in a longitudinal cohort study among STI clinic visitors. PLoS One 2019; 14(6): e0218658.

Vanbaelen T, Tsoumanis A, Florence E, Van Dijck C, Huis in 't Veld D, Sauvage AS et al. Does screening for *Neisseria gonorrhoeae* and *Chlamydia trachomatis* affect the incidence of these infections in men who have sex with men taking HIV pre-exposure prophylaxis (PrEP)? Results from a randomized, multicentre controlled trial (the Gonoscreen study). 2023.

various authors. Abstracts of the 4th Joint Conference of the British HIV Association (BHIVA) with the British Association for Sexual Health and HIV (BASHH), Edinburgh, UK, 17-20 April 2018. HIV Med 2018; 19 Suppl 2: s5-s152.

Velicko I, Ploner A, Sparen P, Herrmann B, Marions L, Kuhlmann-Berenzon S. Changes in the Trend of Sexually Acquired Chlamydia Infections in Sweden and the Role of Testing: A Time Series Analysis. Sex Transm Dis 2021; 48(5): 329-334.

Victorova Haydudova H, Konstantinov Gospodinov D, Dimitrova Karcheva M. Syphilis in the Plevan region, Bulgaria: a retrospective study. Acta Dermatovenerol Alp Pannonica Adriat 2020; 29(2): 63-66.

Vives N, Garcia de Olalla P, Gonzalez V, Barrabeig I, Clotet L, Danes M et al. Recent trends in sexually transmitted infections among adolescents, Catalonia, Spain, 2012-2017. Int J STD AIDS 2020; 31(11): 1047-1054.

White J, Apea V, Day S. Sexually transmitted infection (STI) rates among pre-exposure HIV prophylaxis (PrEP)-using and non-PrEP-using men who have sex with men (MSM) accessing regional online STI testing services. Sexually Transmitted Infections 2022: A14.

Whitlock GG, McOwan A, Nugent D, Dean Street Collaborative G. Gonorrhoea during COVID-19 in London, UK. Sex Transm Infect 2021; 97(8): 622-623.

Zakrzewska K, Niedzwiedzka-Stadnik M. Gonorrhoea in Poland in 2019-2020. Przegl Epidemiol 2022; 76(4): 591-603.

Zammarchi L, Borchi B, Chiappini E, Galli L, Brogi M, Sterrantino G et al. Syphilis in pregnancy in Tuscany, description of a case series from a global health perspective. J Matern Fetal Neonatal Med 2012; 25(12): 2601-2605.

Not separate PE

Aicken CR, Wayal S, Blomquist P, Fabiane S, Gerressu M, Hughes G et al. Ethnic variations in sexual partnerships and mixing, and their association with STI diagnosis: findings from a cross-sectional biobehavioural survey of attendees of sexual health clinics across England. Sex Transm Infect 2020; 96(4): 283-292.

Begnis R, Bouscaren N, Raffray L, Terrier CSP, Andry F, Boukerrou M et al. Prevalence and risk factors of *Mycoplasma genitalium* infection in patients attending a sexually transmitted infection clinic in Reunion Island: a cross-sectional study (2017-2018). BMC Infectious Diseases 2021; 21(1): 482.

Brin C, Palich R, Godefroy N, Simon A, Robert J, Bebear C et al. Clinical, epidemiological and therapeutic characteristics of *Mycoplasma genitalium* infection in a French STI center. Infect Dis Now 2022; 52(1): 13-17.

Brockmeyer N, Schlüter C, Potthoff A, Wach J, Kayser A, Schu M et al. WIR-center for sexual health and medicine: A care model to counter HIV/STI in Germany. Sexually Transmitted Infections 2019: A137.

Desai S, Burns F, Schembri G, Williams D, Sullivan A, McOwan A et al. Sexual behaviours and sexually transmitted infection outcomes in a cohort of HIV-negative men who have sex with men attending sexual health clinics in England. Int J STD AIDS 2018; 29(14): 1407-1416.

Evers YJ, Op den Camp KPL, Lenaers M, Dukers-Muijers N, Hoebe C. Alcohol and drug use during sex and its association with sexually transmitted infections: a retrospective cohort study among young people aged under 25 years visiting Dutch STI clinics. Sex Transm Infect 2023; 99(2): 97-103.

Molina JM, Charreau I, Chidiac C, Pialoux G, Cua E, Delaugerre C et al. Post-exposure prophylaxis with doxycycline to prevent sexually transmitted infections in men who have sex with men: an open-label randomised substudy of the ANRS IPERGAY trial. *Lancet Infect Dis* 2018; 18(3): 308-317.

Pitt R, Merrick R, Donaldson H, Rayment M, Day M, Cole M et al. Increasing tetracycline resistance in *Neisseria gonorrhoeae* in England: Investigating possible clinic-epidemiological associations. *Sexually Transmitted Infections* 2022; A65-A66.

Not population

Adaleti R, Kansak N, Aslan M, Balkose G, Toptan H, Dincer SD et al. Comparison of syphilis seropositivity between non-immigrant and immigrant populations in the Anatolian side of Istanbul, Turkey: Results of five-years retrospective study. *North Clin Istanbul* 2022; 9(6): 590-594.

Barabas E, Benko S, Molnar E, Kovacs G, Fogarassy E, Dudas M. Volunteer blood donors with active and early treponema pallidum infection in Hungary 2015-2017, P-286. *Vox Sang* 2019; 114 Suppl 1(Suppl 1): 5-240.

Beker CM, Hayat L, Mistiki I, Karahacioglu I, Kosan E, Aksoy A et al. Prevalence of syphilis among Turkish red crescent blood donors, 2013-2017. *Vox Sang* 2018; 113 Suppl 1(Suppl 1): 5-347.

Bloch EM, Kipiani E, Shadaker S, Alkhazashvili M, Gvinjilia L, Kuchuloria T et al. Blood transfusion safety in the country of Georgia: collateral benefit from a national hepatitis C elimination program. *Transfusion* 2020; 60(6): 1243-1252.

Boeri L, Pederzoli F, Capogrosso P, Abbate C, Alfano M, Mancini N et al. Semen infections in men with primary infertility in the real-life setting. *Fertil Steril* 2020; 113(6): 1174-1182.

Borges-Costa J, Matos C, Pereira F. Sexually transmitted infections in pregnant adolescents: prevalence and association with maternal and foetal morbidity. *J Eur Acad Dermatol Venereol* 2012; 26(8): 972-975.

Braam JF, van Dam AP, Bruisten SM, van Rooijen MS, de Vries HJC, Schim van der Loeff MF et al. Macrolide-Resistant *Mycoplasma genitalium* Impairs Clinical Improvement of Male Urethritis After Empirical Treatment. *Sex Transm Dis* 2022; 49(5): 360-367.

Broad CE, Furegato M, Harrison MA, Pond MJ, Tan N, Okala S et al. High prevalence of coinfection of azithromycin-resistant *Mycoplasma genitalium* with other STIs: a prospective observational study of London-based symptomatic and STI-contact clinic attendees. *Sex Transm Infect* 2021; 97(1): 63-68.

Cocchetti C, Ristori J, Mazzoli F, Merigliola MC, Jannini E, Manieri C et al. P-06-6 Prevalence and Correlated Sociodemographic Characteristics of Sexually Transmitted Diseases in Transgender Individuals: An Italian Multicentric Evaluation. *The Journal of Sexual Medicine* 2020; 17(Supplement_2): S209-S209. S209.

Cocchetti C, Romani A, Mazzoli F, Ristori J, Lagi F, Merigliola MC et al. Prevalence and Correlates of Sexually Transmitted Infections in Transgender People: An Italian Multicentric Cross-Sectional Study. *J Clin Med* 2022; 11(10).

Cutoiu A, Boda D. Prevalence of *Ureaplasma urealyticum*, *Mycoplasma hominis* and *Chlamydia trachomatis* in symptomatic and asymptomatic patients. *Biomed Rep* 2023; 19(4): 74.

Damar ÇAkırca T. Şanlıurfa İlinde HIV/AIDS: 114 Olgunun Retrospektif Analizi, Tek Merkez Deneyimi. *Harran Üniversitesi Tıp Fakültesi Dergisi* 2022; 19(3): 594-599. 594.

Davison KL, Reynolds CA, Andrews N, Brailsford SR, Group UKBDSS. Blood donation by men who have sex with men: using evidence to change policy. *Vox Sang* 2021; 116(3): 260-272.

Day S, Smith J, Perera S, Jones S, Kinsella R. Beyond the binary: sexual health outcomes of transgender and non-binary service users of an online sexual health service. *Int J STD AIDS* 2021; 32(10): 896-902.

Delfosse A, Bouscaren N, Dupin N, Jaubert J, Tran PL, Saint Pastou C et al. High prevalence of syphilis in women, minors and precarious patients: a cross-sectional study in a Reunion Island sexually transmitted infection clinic, 2017-2020. *J Eur Acad Dermatol Venereol* 2021; 35(11): 2287-2292.

Djonic D, Djuric M, Bassioni-Stamenic F, McFarland W, Knezevic T, Nikolic S et al. HIV-related risk behaviors among Roma youth in Serbia: results of two community-based surveys. *J Adolesc Health* 2013; 52(2): 234-240.

Druckler S, Daans C, Hoornenborg E, De Vries H, den Heijer M, Prins M et al. HIV and STI positivity rates among transgender people attending two large STI clinics in the Netherlands. *Sex Transm Infect* 2022; 98(3): 188-196.

Duval C, Anthony N, Thore-Dupont E, Jaubert J, Camuset G, Von Theobald P et al. [Prevalence and Risk Factors of *Chlamydia trachomatis* Infection Among Women Consulting at the Sexually Transmitted Infection Centre in la Reunion: A Cross-Sectional Study]. *Med Trop Sante Int* 2021; 1(1).

Evers YJ, van Liere G, Dukers-Muijers N, van Bergen J, Kuizenga-Wessel S, Hoebe C. Routine universal testing versus selective or incidental testing for oropharyngeal *Chlamydia trachomatis* in women in the Netherlands: a retrospective cohort study. *Lancet Infect Dis* 2022; 22(4): 552-561.

Folio M, Bouscaren N, De Barbeyrac B, Boukerrou MC, Ricaud C, Hoang S et al. Minors are the most affected by *Chlamydia trachomatis* in Reunion Island: A cross-sectional study, 2017-2018. *Ann Dermatol Venereol* 2021; 148(4): 238-240.

Foschi C, Zagarrigo M, Belletti M, Marangoni A, Re MC, Gaspari V. Genital and extra-genital *Chlamydia trachomatis* and *Neisseria gonorrhoea* infections in young women attending a Sexually Transmitted Infections (STI) clinic. *New Microbiol* 2020; 43(3): 115-120.

Gogeliene L, Vitkus D, Petronyte D. W086 Positive result rate of anti-treponema pallidum antibodies before and after reagent renewal. *Clinica Chimica Acta* 2022; 530: S312-S313. S312.

Gottwald C, Schwarz NG, Frickmann H. Sexually Transmitted Infections in Soldiers - A Cross-Sectional Assessment in German Paratroopers and Navy Soldiers and a Literature Review. *Eur J Microbiol Immunol (Bp)* 2019; 9(4): 138-143.

Gylfason AD, Bjarnason A, Helgason KO, Rognvaldsson KG, Armannsdottir B, Gudmundsdottir IJ et al. [Effects of the COVID-19 pandemic and associated non-pharmaceutical interventions on diagnosis of myocardial infarction and selected infections in Iceland 2020]. *Laeknabladid* 2022; 108(4): 182-188.

Harvala H, Reynolds C, Fabiana A, Tossell J, Bulloch G, Brailsford S et al. Lessons learnt from syphilis-infected blood donors: a timely reminder of missed opportunities. *Sex Transm Infect* 2022; 98(4): 293-297.

Jacob L, Duse DA, Kostev K. Prevalence and treatment of sexually transmitted infections in men followed by urologists in Germany - a cross sectional study with 347,090 men. *Ger Med Sci* 2018; 16: Doc03.

Kalibatas V, Kalibatiene L. Reducing the risk of transfusion-transmitted infectious disease markers in blood and blood component donations: Movement from remunerated to voluntary, non-remunerated donations in Lithuania from 2013 to 2020. *PLoS One* 2022; 17(11): e0277650.

Kirby R, Edwards L, Rashid U, Knight R, Ezeh I, Jewsbury S. AUDIT OF CHLAMYDIA TESTING OFFERS AND UPTAKE IN YOUNG PERSONS (UNDER 25) ATTENDING A METROPOLITAN INTEGRATED SEXUAL HEALTH (ISH) CLINIC. *Sexually Transmitted Infections* 2023: A115.

Korkusuz R, Şenoğlu S. Syphilis Seroprevalence and Associated Risk Factors in HIV-Infected Individuals. *Mediterranean Journal of Infection Microbes and Antimicrobials* 2020; 9.

Kyrychenko T, Valin N, Chiarabini T, Boukli N, Decré D, Gozlan J et al. Youngsters seeking care in Free-STI clinics: needs and challenges. *HIV Med* 2021; 22 Suppl 3: 4-309.

Lemmet T, Cotte L, Allavena C, Huleux T, Duvivier C, Laroche H et al. High syphilis prevalence and incidence in people living with HIV and Preexposure Prophylaxis users: A retrospective review in the French Dat'AIDS cohort. *PLoS One* 2022; 17(5): e0268670.

Lesiak-Markowicz I, Tscherwizek C, Poppl W, Mooseder G, Walochnik J, Furnkranz U. Prevalence of selected sexually transmitted infectious agents in a cohort of asymptomatic soldiers in Austria. *Parasit Vectors* 2022; 15(1): 424.

Lopez-Corbeto E, Gonzalez V, Lugo R, Rivaya B, Casabona J, Matas L et al. Pooling of urine samples for molecular detection of *Chlamydia trachomatis*, *Neisseria gonorrhoeae* and *Mycoplasma genitalium* as a screening strategy among young adults in Catalonia. *Enferm Infecc Microbiol Clin (Engl Ed)* 2020; 38(2): 65-71.

Lorincz K, Meznerics FA, Jobbagy A, Kiss N, Madarasz M, Belvon L et al. STIs during the COVID-19 Pandemic in Hungary: Gonorrhoea as a Potential Indicator of Sexual Behavior. *Int J Environ Res Public Health* 2022; 19(15).

Maldonado-Barrueco A, Sanz-Gonzalez C, Falces-Romero I, Garcia-Clemente P, Cacho-Calvo J, Quiles-Melero I. Prevalence of mutations associated with macrolide and fluoroquinolone resistance in *Neisseria gonorrhoeae* with Allplex NG-DR Assay (Seegene) in a tertiary hospital from Madrid, Spain. *Rev Esp Quimioter* 2023; 36(6): 625-628.

Manca MF, Rochat-Stettler L, Carod JF, Agostini C, Jolivet A. High prevalence of *Chlamydia trachomatis* and *Neisseria gonorrhoeae* in Western French Guiana. *Braz J Infect Dis* 2020; 24(3): 256-260.

Maxwell A, MacDonald R. Grab 'n' go: an express STI testing clinic in Scotland in response to the COVID-19 pandemic. *International Journal of STD & AIDS* 2020; 31(12_suppl): 1-114. 1.

Mensforth S, Radcliffe K. Is it time to reconsider epidemiological treatment for gonorrhoea? *Int J STD AIDS* 2018; 29(10): 1043-1044.

Navaratne L, Clune M, Proom T, Whalen S, Apea V, Twydell E et al. Testing 7376 samples for *Trichomonas vaginalis* using NAAT testing in symptomatic females with vaginal discharge and asymptomatic females of all ethnicities through an online STI testing service. *Sexually Transmitted Infections* 2022: A44-A45.

Navaratne L, Clune M, White J. Rates of *Trichomonas vaginalis* in asymptomatic and symptomatic males tested via an online STI testing service in South-East England in 2022. *Sexually Transmitted Infections* 2023: A108-A109.

Neves JM, Ramos Pinheiro R, Corte-Real R, Borrego MJ, Rodrigues A, Fernandes C. Lymphogranuloma venereum: a retrospective analysis of an emerging sexually transmitted disease in a Lisbon Tertiary Center. *J Eur Acad Dermatol Venereol* 2021; 35(8): 1712-1716.

Nijhuis RHT, Duinsbergen RG, Pol A, Godschalk PCR. Prevalence of *Chlamydia trachomatis*, *Neisseria gonorrhoeae*, *Mycoplasma genitalium* and *Trichomonas vaginalis* including relevant resistance-associated mutations in a single center in the Netherlands. *Eur J Clin Microbiol Infect Dis* 2021; 40(3): 591-595.

Nouchi A, Cabay F, Palich R, Monsel G, Caumes AE. Travel-associated STI amongst HIV and non-HIV infected travellers. *J Travel Med* 2019; 26(8).

Offergeld R, Preußel K. Syphilis on the rise – focusing on a re-emerging infection in the blood donor population. *Transfusion Medicine and Hemotherapy* 2018; 45(1): 1-90. 1.

Pape M, Bakaloudi V, Lazaridou P, Moschos I, Pargiana C, Zevgolis V et al. Evaluation of the seroprevalence of syphilis infection among voluntary blood donors from northern Greece. Retrospective study from 2015 to 2020. *Acta Microbiologica Hellenica* 2021: 177-184.

Pearson C, Reynolds C, Brailsford S. Is syphilis testing of blood donations still relevant today? *Transfus Med* 2018; 28 Suppl 1: 3-77.

Perry MD, Jones S, Bertram A, de Salazar A, Barrientos-Duran A, Schiettekatte G et al. The prevalence of *Mycoplasma genitalium* (MG) and *Trichomonas vaginalis* (TV) at testing centers in Belgium, Germany, Spain, and the UK using the cobas TV/MG molecular assay. *Eur J Clin Microbiol Infect Dis* 2023; 42(1): 43-52.

Polilli E, Sozio F, Di Stefano P, Sciacca A, Ursini T, Paoloni M et al. Web-Based HIV Testing in Abruzzo, Italy: Analysis of 15-Month Activity Results. *AIDS Patient Care STDS* 2016; 30(10): 471-475.

Proom T, Apea V, White J, Clune M, Ashano E. An analysis of orders through an online condom distribution scheme. *Sexually Transmitted Infections* 2023: A71-A72.

- Reynolds C, Pearson C, Davison K, Brailsford S. Who is syphilis testin excluding? *Vox Sang* 2019; 114 Suppl 1(Suppl 1): 5-240.
- Reynolds C, Pullen A, Davison K, Brailsford S. A year of collecting convalescent plasma donations in England: How do infections compare to blood donors? *Transfusion Medicine* 2021; 31(S1): 9-45. 9.
- Roncarati G, Fazio C, Gaspari V, Marziali G, Furlini G, Galli S et al. Syphilis in a high-density urban area in the North of Italy. *New Microbiol* 2019; 42(3): 166-170.
- Schellberg S, Kuschel A, Wicke T, Schrioter M. The back side: Lymphogranuloma venereum in PrEP-users and PLWH. *HIV Medicine* 2019; 20(S9): 317-337. 317.
- Tiberghien P, Huet J, Lecam S, Besiers C, Tavenard T, Gallian P et al. Quarantined apheresis plasma donation by MSM with deferral rules identical to those applied to all other blood donors in France. *Vox Sanguinis* 2020; 115(S1): 5-396. 5.
- Tiberghien P, Lecam S, Huet J, Malard L, Tavenard T, Pillonel J et al. Evolving deferral criteria for blood donation in France: Plasma donation by men who have sex with men. *Vox Sang* 2023; 118(6): 440-446.
- Tinguely C, Hotz M, Niederhauser C. Evaluation of the usability of the newly launched alinity S the specificity of HIV combo, anit-HCV HBSAg and syphilis in a blood donor screening setting. *Vox Sang* 2019; 114 Suppl 1(Suppl 1): 5-240.
- Unemo M, Salado-Rasmussen K, Hansen M, Olsen AO, Falk M, Golparian D et al. Clinical and analytical evaluation of the new Aptima *Mycoplasma genitalium* assay, with data on M. genitalium prevalence and antimicrobial resistance in M. genitalium in Denmark, Norway and Sweden in 2016. *Clin Microbiol Infect* 2018; 24(5): 533-539.
- Van Loo I, Mans C, Hoebe C, Van Westering-Kroon E. High prevalence of ureaplasma spp. In women visiting an STI clinic although no azithromycin resistance was discovered. *Sexually Transmitted Infections* 2019: A149.
- van Wees DA, Heijne JCM, Heijman T, Kampman K, Westra K, de Vries A et al. A Multidimensional Approach to Assessing Infectious Disease Risk: Identifying Risk Classes Based on Psychological Characteristics. *Am J Epidemiol* 2019; 188(9): 1705-1712.
- van Wees DA, Heijne JCM, Heijman T, Kampman K, Westra K, de Vries A et al. Study protocol of the iMPaCT project: a longitudinal cohort study assessing psychological determinants, sexual behaviour and chlamydia (re)infections in heterosexual STI clinic visitors. *BMC Infect Dis* 2018; 18(1): 559.
- Varleva T, Kabakchieva E, Naseva E, Yakimova T, Georgieva V, Zamfirova M et al. Report of integrated bio-behavioral surveillance of HIV among 18-25 years old males in roma community, 2005-2012, Bulgaria. abstract. *Problems of Infectious and Parasitic Diseases* 2015: 14-18.
- Vasic MD, Slavujevic B, Zigic T, Mastilovic J, Lazic B. Reliability of screening testing in detecting markers of transfusion transmitted infections in blood donors of Doboj region. *Vox Sang* 2019; 114 Suppl 1(Suppl 1): 5-240.
- Vucetic D, Jovicic M, Maslovaric I, Bogdanovic S, Antic A, Stanojkovic Z et al. Transfusion-transmissible infections among Serbian blood donors: declining trends over the period 2005-2017. *Blood Transfus* 2019; 17(5): 336-346.
- Yay M, Unal E, Eser B. Effect of Turkey's national directory application on blood donor sero-positivity: Erciyes university experience. *Vox Sang* 2020; 115 Suppl 1: 5-396.
- Yusuf E, Mertens K, van Lisdonk N, Houwen C, Thai KTD. Epidemiology of *Mycoplasma genitalium* and *Trichomonas vaginalis* in the primary health care setting in the Netherlands. *Epidemiol Infect* 2023; 151: e79.

Not 4 STIs

- Kopilovic B, Poljak M, Seme K, Klavs I. Hepatitis C virus infection among pregnant women in Slovenia: study on 31,849 samples obtained in four screening rounds during 1999, 2003, 2009 and 2013. *Euro Surveill* 2015; 20(22): 21144.
- Van Praet JT, Steyaert S, Vandecasteele S, Van Den Bergh B, Mahieu H, De Buyser S et al. *Mycoplasma genitalium* acquisition and macrolide resistance after initiation of HIV pre-exposure prophylaxis in men who have sex with men. *Sex Transm Infect* 2020; 96(6): 396-398.

Not test method

- Evers Y, Dukers-Muijers N, Van Liere G, Van Bergen J, Kuizenga-Wessel S, Hoebe C. An overview of pharyngeal *Chlamydia trachomatis* in men who have sex with men using dutch STI-clinic data from a 10-yearperiod. *Sexually Transmitted Infections* 2021: A75.
- Grieco N, Maffei A, Di Filippo MA, D'Aniello G, Ronsini S. Human papilloma virus sperm infection and its correlation with in vitro fertilization. *Human Reproduction* 2016; 31(suppl 1): i1-i513. i1.
- Latini A, Dona MG, Alei L, Colafigli M, Frasca M, Orsini D et al. Recreational drugs and STI diagnoses among patients attending an STI/HIV reference clinic in Rome, Italy. *Sex Transm Infect* 2019; 95(8): 588-593.
- van Liere G, Dukers-Muijers N, Kuizenga-Wessel S, Wolffs PFG, Hoebe C. Routine universal testing versus selective or incidental testing for oropharyngeal *Neisseria gonorrhoeae* in women in the Netherlands: a retrospective cohort study. *Lancet Infect Dis* 2021; 21(6): 858-867.

Not country

- Chinnock BF, Mason J, Yore M, Kremer M, Lopez D, Farshidpour L. Vaginal Self-Sampling Is Not Inferior to Provider Endocervical Sampling for Gonorrhea and Chlamydia Diagnosis. *Acad Emerg Med* 2020; 27 Suppl 1: S7-S335.
- Goggins ER, Chamberlain AT, Kim TG, Young MR, Jamieson DJ, Haddad LB. Patterns of Screening, Infection, and Treatment of *Chlamydia trachomatis* and *Neisseria gonorrhoea* in Pregnancy. *Obstet Gynecol* 2020; 135(4): 799-807.

Lee S, Yu H-J, Lim S, Park H, Kwon M-J, Woo H-Y. Evaluation of the Elecsys Syphilis electrochemiluminescence immunoassay as a first-line screening test in the reverse algorithms for syphilis serodiagnosis. *International Journal of Infectious Diseases* 2019; 80: 98-104. 98.

Trent M, Coleman JS, Hardick J, Perin J, Tabacco L, Huettner S et al. Clinical and sexual risk correlates of *Mycoplasma genitalium* in urban pregnant and non-pregnant young women: cross-sectional outcomes using the baseline data from the Women's BioHealth Study. *Sex Transm Infect* 2018; 94(6): 411-413.

Conference abstract with insufficient information

Boesecke C, Kimhofer T, Tocha C, Schubert O, Rybak R, Kuhlen K et al. Are we reaching the at-risk patient populations for hiv and other stis? *Topics in Antiviral Medicine* 2021: 267.

Chromy D, Urban N, Grabmeier-Pfistershammer K, Touzeau-Roemer V, Geusau A, Stary G et al. Asymptomatic Sexually Transmitted Infections Are Commonly Detected in Austrian PrEP-Users. *Journal of Investigative Dermatology* 2022; 142(12): S203. S203.

De Baetselier I, Wouters K, Vuylsteke B, Reyniers T, Buyze J, Laga M et al. Lymphogranuloma Venereum Among MSM Using PrEP in Belgium. Time to Test! *AIDS Research and Human Retroviruses* 2018; 34(S1): 1-407. 1.

Malosso P, Badia L, Guardigni V, Pascale R, Felice AD, Verucchi G et al. FRI-242-Absence of hepatitis C infection despite high-risk sexual behavior in a cohort of men who have sex with men screened in the community: preliminary results of SEXCHECK study. *Journal of Hepatology* 2019; 70(1): e500-e501. e500.

Obelleiro Campos A, Soro Mateos C, Almodovar E, Ribera Pérez M, Verónica CG, Claver Belder N. Covid-19. *Clinical Chemistry and Laboratory Medicine (CCLM)* 2023; 61(s1): s563-s770. s563.

Puri A, Morrall I, Arumainayagam J, Acharya S, Jones R. Do we need to further improve quality of care for those on pre-exposure prophylaxis (PrEP) against acquiring HIV infection: findings from aPrEP clinic. *HIV Medicine* 2023; 24(S3): 21-106. 21.

van Aar F, Visser M, Götz H, van Benthem B. Disrupted sexual health care during the coronavirus pandemic in 2020: The impact on STI positivity among sexual health clinic attendees. *Sexually Transmitted Infections* 2021: A128-A129.