Tuberculosis surveillance and monitoring in Europe 2018.





2016 data

Poland

Total population at 22 September 2017 by EUROSTAT: 37967209

Tuberculosis case notifications, 2016

Total number of cases	6444	
Notification rate per100 000	17.0	
New* & relapses	6143	
New* & relapses notification rate per100 000	16.2	
Pulmonary	6116	(94.9%)
of which microscopy-positive	2644	(43.2%)
of which laboratory confirmed	4 475	(73.2%)
Laboratory-confirmed TB cases	4 6 1 9	(71.7%)
Mean age of new native TB cases	53.2 years	
Mean age of new foreign TB cases	34.6 years	
Foreign origin of all TB cases	92	(1.4%)
New (not previously treated)	5713	(88.7%)

^{*} Cases with unknown previous treatment included in new cases.

Drug resistance surveillance & TB-HIV co-infection, 2016

Completeness of DRS data*	Yes		
Completeness of HIV data**	-		
Case-linked data reporting	Yes		
Cases with DST results	4189	(90.7%)	
Estimated RR-TB among notified pulmonary cases N, (best-low-high)	77-5	77-56-98	
Pulmonary MDR TB cases notified	45	(1.1%)	
of which XDR TB cases	8	(21.1%)	
Notified MDR TB	46	(1.1%)	
of which XDR TB cases	8	(20.5%)	
TB cases tested for HIV	-	-	
HIV-positive TB cases	-	-	
of these on antiretroviral therapy	-	-	

^{*} National coverage 100% or culturing 90%, C+/All TB cases 50%, DST done for C+75%, EQA 95%.


** More than 50% of TB cases with reported HIV status.

Treatment outcome monitoring


Geographical coverage	Nat	ional		
Outcome cohort	New culture positive pulmonary TB cases notified in 2015*		All MDR TB cases notified in 2014**	
Case-linked data reporting	Υ	'es		
Cases notified	3 978		35	
Success	2 0 8 5	(52.4%)	3	(8.6%)
Died	414	(10.4%)	12	(34.3%)
Failed	3	(0.1%)	0	(0.0%)
Lost to follow-up	209	(5.3%)	5	(14.3%)
Still on treatment	8	(0.2%)	0	(0.0%)
Not evaluated	1259	(31.6%)	15	(42.9%)

^{*} Treatment outcome as presented is treatment outcome after 12 months.


Tuberculosis notification rates by treatment history, 2007-2016



New and relapsed TB cases - notification rates by age group, 2007-2016




Tuberculosis cases by geographical origin, 2007-2016




TB-HIV co-infection, 2007-2016

Data not available

MDR TB cases by previous treatment history, 2007–2016



Treatment outcome, new culture-confirmed pulmonary TB cases, 2006-2015



Source: European Centre for Disease Prevention and Control/WHO Regional Office for Europe. Tuberculosis surveillance and monitoring in Europe 2018 – 2016 data. Stockholm: ECDC; 2018

^{**} Treatment outcome as presented is treatment outcome after 24 months.