Tuberculosis surveillance and monitoring in Europe 2016



Netherlands

Total population on 1 January 2014 by EUROSTAT: 16 829 289

Tuberculosis case notification	ns. 2014		
Total number of cases	8	823	
Notification rate per 100 000	4	4.9	
New* & relapses	8	814	
New* & relapses notification rate per 100 000	4	4.8	
Pulmonary	445	(54.1%)	
of which microscopy-positive	150	(33.7%)	
of which laboratory confirmed	336	(75.5%)	
Laboratory-confirmed TB cases	523	(63.5%)	
Mean age of new native TB cases	44.7	44.7 years	
Mean age of new foreign TB cases	39.9	39.9 years	
Foreign origin of all TB cases	602	(73.1%)	
New (not previously treated)	804	(97.7%)	

^{*} Cases with unknown previous treatment included in new cases


Drug resistance surveillan co-infection, 2014	ce & T	B-HIV	
Completeness of DRS data*	Yes		
Completeness of HIV data**	Yes		
Case-linked data reporting	Yes		
Cases with DST results	519	(99.2%)	
Estimated MDR N, (best-low-high)	6-	0-12	
Pulmonary MDR cases	4	(1.2%)	
of which XDR cases	0	(0.0%)	
Notified MDR	6	(1.2%)	
of which XDR cases	0	(0.0%)	
TB cases tested for HIV	424	(51.5%)	
HIV-positive TB cases	23	(5.4%)	
of these on antiretroviral therapy	-	-	

 $^{^{\}star}$ National coverage 100% or culturing 90%, C+/All TB cases 50%, DST done for C+ 75%, EQA 95%.


Treatment outc	ome mor	iitoring		
Geographical coverage	National			
Outcome cohort	New culture positive pulmonary TB cases notified in 2013*			R TB cases d in 2012**
Case-linked data reporting	Yes			
Cases notified	353		11	
Success	302	(85.6%)	8	(72.7%)
Died	15	(4.2%)	0	(0.0%)
Failed	0	(0.0%)	0	(0.0%)
Lost to follow-up	6	(1.7%)	2	(18.2%)
Still on treatment	18	(5.1%)	0	(0.0%)
Not ovaluated	12	(2 40/)	1	(0.19/)

^{*} Treatment outcome as presented is treatment outcome after 12 months.


Tuberculosis notification rates by treatment history, 2005–2014




New and relapsed TB cases – notification rates by age group, 2005–2014




Tuberculosis cases by geographical origin, 2005-2014




TB-HIV co-infection, 2006-2014



MDR TB cases by previous treatment history, 2005-2014



Treatment outcome, new culture-confirmed pulmonary TB cases, 2004–2013



Source: European Centre for Disease Prevention and Control/WHO Regional Office for Europe. Tuberculosis surveillance and monitoring in Europe 2016. Stockholm: ECDC; 2016

^{**} More than 50% of TB cases tested for HIV.

^{**} Treatment outcome as presented is treatment outcome after 24 months.