Czech Republic

Tuberculosis case notifications, 2012

| Total number of cases | 605 | |
|---|------------|---------|
| Notification rate per 100000 | 5.8 | |
| New & relapses (laboratory-confirmed) number | 565 | |
| New & relapses (laboratory-confirmed) notification rate per 100 000 | 5.4 | |
| Pulmonary | 509 | (84.1%) |
| of which smear-positive | 221 | (43.4%) |
| Laboratory-confirmed TB cases | 421 | (69.6%) |
| Mean age of new native TB cases | 58.4 years | |
| Mean age of new foreign TB cases | 39.0 years | |
| Foreign origin of all TB cases | 105 | (17.4%) |
| New (not previously treated) | 565 | (93.4%) |

Drug resistance surveillance & TB-HIV co-infection, 2012

| Completeness of DRS data* | Yes | |
|----------------------------------|---------|---------|
| Completeness of HIV data** | No | |
| Case-linked data reporting | Yes | |
| Cases with DST results | 397 | (94.3%) |
| Cases resistant to isoniazid | 18 | (4.5%) |
| Cases resistant to rifampicin | 5 | (1.3%) |
| Estimated MDR N, (best-low-high) | 10-2-17 | |
| MDR cases | 4 | (1.0%) |
| of which XDR cases | 1 | (25.0%) |
| Cases resistant to ethambutol | 5 | (1.3%) |
| Cases resistant to streptomycin | 18 | (4.5%) |
| TB cases tested for HIV | 136 | (22.5%) |
| HIV-positive TB cases | 6 | (4.4%) |
| | | |


^{*} National coverage 100% or culturing 90%, C+/All TB cases 50%, DST done for C+75%, EQA 95%
** More than 50% of TB cases tested for HIV.

Treatment outcome monitoring


| Geographical coverage | Nat | | | |
|----------------------------|--|---------|--|---------|
| Outcome cohort | New laboratory confirmed pulmonary TB cases notified in 2011* | | All MDR TB cases notified in 2010** | |
| Case-linked data reporting | , | /es | | |
| Notified in 2010 | 378 | | 9 | |
| Success | 260 | (68.8%) | 4 | (44.4%) |
| Died | 65 | (17.2%) | 1 | (11.1%) |
| Failed | 0 | (0.0%) | 0 | (0.0%) |
| Defaulted | 33 | (8.7%) | 2 | (22.2%) |
| Still on treatment | 7 | (1.9%) | 0 | (0.0%) |
| Lost to follow up | 13 | (3.4%) | 2 | (22.2%) |

^{*} Treatment outcome as presented is treatment outcome after 12 months.


Tuberculosis notification rates by treatment history, 2003-2012




New TB cases - notification rates by age group, 2003-2012




Tuberculosis cases by geographical origin, 2003-2012




TB-HIV co-infection, 2006-2012



MDR-TB cases by previous treatment history, 2003-2012



Treatment outcome, new pulmonary culture-positive cases, 2002-2011



^{**} Treatment outcome as presented is treatment outcome after 24 months.